



3310 Series Fan Forced Wall Heater - With Summer Fan Switch with Surface Mounting Frame

Data Sheet

General Characteristics 3310 Series Fan Forced Wall Heater - With Summer Fan Switch with Surface Mounting Frame

Powder coated 18 gauge steel front.
 Automatic reset thermal limit.
 Steel block fin element.
 Weight 22 lbs.
 Vane axial fan blade: 600 RPM / 175 CFM.
 Grill dimensions: 16 3/16" Wide x 21" High.
 Rough in dimensions: 14 1/8" Wide x 19 1/2" High x 4" Deep.
 Units with dual wattage, factory wired to highest wattage.
 Wattage selectable at time of installation on some models.
 Made in U.S.A.
 Models with in-built double pole thermostat (0° - 110° f temperature range).
 Models with in-built single pole thermostat (0° - 110° f temperature range).
 Includes Surface Mounting Frame

Product Applications 3310 Series Fan Forced Wall Heater - With Summer Fan Switch with Surface Mounting Frame

Recommended for all industrial, commercial, and residential. For indoor and outdoor use.

Warranties 3310 Series Fan Forced Wall Heater - With Summer Fan Switch with Surface Mounting Frame

Manufacturer's Limited Warranty: 1 Year.



Specific Characteristics 3310 Series Fan Forced Wall Heater - With Summer Fan Switch with Surface Mounting Frame

Item #	Watts	BTU's	Volts	Amps	CFM	RPM	Thermostat Type	Temp Rise (°F)	Color	Weight and Dimensions With Packaging (CM)	
										Lbs	W, H, D
USHWF-001	1000	3413	120	8.3	175	600	Double Pole	0° - 110°	Ivory	22	36,50,11
USHWF-002	1000	3413	120	8.3	175	600	Double Pole	0° - 110°	White	22	36,50,11
USHWF-003	1500	5120	120	12.5	175	600	Double Pole	0° - 110°	Ivory	22	36,50,11
USHWF-004	1500	5120	120	12.5	175	600	Double Pole	0° - 110°	White	22	36,50,11
USHWF-005	750	2560	120	6.25	175	600	Double Pole	0° - 110°	Ivory	22	36,50,11



**3310 Series Fan Forced Wall
Heater - With Summer Fan Switch
with Surface Mounting Frame**

Data Sheet

Specific Characteristics 3310 Series Fan Forced Wall Heater - With Summer Fan Switch with Surface Mounting Frame											
Item #	Watts	BTU's	Volts	Amps	CFM	RPM	Thermostat Type	Temp Rise (°F)	Color	Weight and Dimensions with Packaging (CM)	
										Lbs	W, H, D
USHWF-006	750	2560	120	6.25	175	600	Double Pole	0° - 110°	White	22	36,50,11
USHWF-007	4000	13648	208	19.2	175	600	Double Pole	0° - 110°	Ivory	22	36,50,11
USHWF-008	4000	13648	208	19.2	175	600	Double Pole	0° - 110°	White	22	36,50,11
USHWF-009	4800	16380	208	23	175	600	Double Pole	0° - 110°	Ivory	22	36,50,11
USHWF-010	4800	16380	208	23	175	600	Double Pole	0° - 110°	White	22	36,50,11
USHWF-011	3000/2250	10240	240/208	12.5/10.8	175	600	Double Pole	0° - 110°	Ivory	22	36,50,11
USHWF-012	3000/2250	10240	240/208	12.5/10.8	175	600	Double Pole	0° - 110°	White	22	36,50,11
USHWF-013	1500/1125	5120	240/208	6.2/5.4	175	600	Double Pole	0° - 110°	Ivory	22	36,50,11
USHWF-014	1500/1125	5120	240/208	6.2/5.4	175	600	Double Pole	0° - 110°	White	22	36,50,11
USHWF-015	4000/3000	13648	240/208	16.8/14.4	175	600	Double Pole	0° - 110°	Ivory	22	36,50,11
USHWF-016	4000/3000	13648	240/208	16.8/14.4	175	600	Double Pole	0° - 110°	White	22	36,50,11
USHWF-017	2000/1500	6826	240/208	8.3/7.2	175	600	Double Pole	0° - 110°	Ivory	22	36,50,11
USHWF-018	2000/1500	6826	240/208	8.3/7.2	175	600	Double Pole	0° - 110°	White	22	36,50,11
USHWF-019	4800	16380	240	20.0	175	600	Double Pole	0° - 110°	Ivory	22	36,50,11
USHWF-020	4800	16380	240	20.0	175	600	Double Pole	0° - 110°	White	22	36,50,11
USHWF-021	1000	3413	120	8.3	175	600	Single Pole	0° - 110°	Ivory	22	36,50,11
USHWF-022	1000	3413	120	8.3	175	600	Single Pole	0° - 110°	White	22	36,50,11
USHWF-023	1500	5120	120	12.5	175	600	Single Pole	0° - 110°	Ivory	22	36,50,11
USHWF-023	1500	5120	120	12.5	175	600	Single Pole	0° - 110°	White	22	36,50,11
USHWF-025	750	2560	120	6.25	175	600	Single Pole	0° - 110°	Ivory	22	36,50,11
USHWF-026	750	2560	120	6.25	175	600	Single Pole	0° - 110°	White	22	36,50,11
USHWF-027	4000	13648	208	19.2	175	600	Single Pole	0° - 110°	Ivory	22	36,50,11
USHWF-028	4000	13648	208	19.2	175	600	Single Pole	0° - 110°	White	22	36,50,11
USHWF-029	4800	16380	208	23	175	600	Single Pole	0° - 110°	Ivory	22	36,50,11
USHWF-030	4800	16380	208	23	175	600	Single Pole	0° - 110°	White	22	36,50,11
USHWF-031	3000/2250	10240	240/208	12.5/10.8	175	600	Single Pole	0° - 110°	Ivory	22	36,50,11
USHWF-032	3000/2250	10240	240/208	12.5/10.8	175	600	Single Pole	0° - 110°	White	22	36,50,11
USHWF-033	1500/1125	5120	240/208	6.2/5.4	175	600	Single Pole	0° - 110°	Ivory	22	36,50,11
USHWF-034	1500/1125	5120	240/208	6.2/5.4	175	600	Single Pole	0° - 110°	White	22	36,50,11
USHWF-035	4000/3000	13648	240/208	16.8/14.4	175	600	Single Pole	0° - 110°	Ivory	22	36,50,11
USHWF-036	4000/3000	13648	240/208	16.8/14.4	175	600	Single Pole	0° - 110°	White	22	36,50,11
USHWF-037	2000/1500	6826	240/208	8.3/7.2	175	600	Single Pole	0° - 110°	Ivory	22	36,50,11
USHWF-038	2000/1500	6826	240/208	8.3/7.2	175	600	Single Pole	0° - 110°	White	22	36,50,11
USHWF-039	4800	16380	240	20.0	175	600	Single Pole	0° - 110°	Ivory	22	36,50,11
USHWF-040	4800	16380	240	20.0	175	600	Single Pole	0° - 110°	White	22	36,50,11


Item #	Description	LBS	Series
USAGB-001 a USAGB-020	SURFACE MOUNTING FRAME	4	3310



3310 Series Fan Forced Wall Heater - With Summer Fan Switch with Surface Mounting Frame

Data Sheet

Dimensions (in) 3310 Series Fan Forced Wall Heater - With Summer Fan Switch with Surface Mounting Frame			
Item #	Wide	High	Deep
	A	B	C
USHWF-001 a USHWF-040	14 1/8"	19 1/2"	4"





3310 Series Fan Forced Wall Heater - With Summer Fan Switch with Surface Mounting Frame

Data Sheet

Gallery, 3310 Series Fan Forced Wall Heater - With Summer Fan Switch with Surface Mounting Frame



ID	Author	Description Error	Description Update	Supervisor Name
V1	Angelica Romero	New Data Sheet	New Data Sheet	Jessica Lorenzo