



3320 Series Commercial Fan Forced Wall Heater with Additional Rough-in Box

Data Sheet

General Characteristics 3320 Series Commercial Fan Forced Wall Heater with Additional Rough-in Box

Disconnect switch.

Automatic fan delay circuit.

Automatic reset thermal limit.

Powder coated 18 gauge steel grill with extruded Aluminum front frame.

Steel block fin element.

Vane axial fan blade: 600 RPM motor; 175 CFM.

Rough-in dimensions: 14 1/8" Wide x 19 1/2" High x 4" Deep.

Grill dimensions: 15 29/32" Wide x 20 27/32" High.

Built-In tamper proof thermostat.

Made in U.S.A.

Heavy-Duty Forced Air wall heaters, where specified. The heaters shall be constructed of a heavy 18 gauge steel housing with an extruded Aluminum frame. The rough-in dimensions are 14 1/8" Wide x 19 1/2" High x 4" Deep. The units shall be available in ratings from 750 to 4800 Watts at 240, 208, and 277 Volts. The heaters shall have a low-speed 600 RPM, 4-pole motor which drives a vane axial blower to deliver a quiet 175 CFM of down flow air. The heating element shall be of the sealed tubular type with large, parallel steel fins for quick heat transfer. Unit shall have as a standard, a thermal overload cut-off for added safety, fan delay switch and built-in tamper proof thermostat which shall be calibrated to provide a range of 0°F. to 110°F. and manual disconnect switch. Optional accessories shall include a surface and semi-recess mounting adapter. All heaters shall be listed by ETL. The heating element shall be supplied with a manufacturer's 1-year limited warranty.

Includes Additional Rough-in Box.

Product Applications 3320 Series Commercial Fan Forced Wall Heater with Additional Rough-in Box

Heavy-Duty Forced Air wall heaters.

Warranties 3320 Series Commercial Fan Forced Wall Heater with Additional Rough-in Box

Manufacturer's Limited Warranty: 1 Year.





3320 Series Commercial Fan Forced Wall Heater with Additional Rough-in Box

Data Sheet

Specific Characteristics 3320 Series Commercial Fan Forced Wall Heater with Additional Rough-in Box										
Item #	KW	BTU's	Volts	PH	Amps	CFM	RPM	Thermostat	Weight and Dimensions with Packaging (CM)	
									Lbs	W, H, D
USKLP-001	750	2560	120	1	6.25	175	600	Single Pole	26	38,50,11
USKLP-002	1000	3413	120	1	8.3	175	600	Single Pole	26	38,50,11
USKLP-003	1500	5120	120	1	12.5	175	600	Single Pole	26	38,50,11
USKLP-004	4000	13649	208	1	19.2	175	600	Single Pole	26	38,50,11
USKLP-005	4800	16378	208	1	23	175	600	Single Pole	26	38,50,11
USKLP-006	1500 / 1125	5120 / 3840	240 / 208	1	6.2 / 5.4	175	600	Single Pole	26	38,50,11
USKLP-007	2000 / 1500	6824 / 5120	240 / 208	1	8.3 / 7.2	175	600	Single Pole	27	38,50,11
USKLP-008	3000 / 2250	10236 / 7677	240 / 208	1	12.5 / 10.8	175	600	Single Pole	29	38,50,11
USKLP-009	4000 / 3000	13649 / 7677	240 / 208	1	16.7 / 14.4	175	600	Single Pole	29	38,50,11
USKLP-010	4800	16378	240	1	20	175	600	Single Pole	29	38,50,11
USKLP-011	1500	5120	277	1	4.1	175	600	Single Pole	26	38,50,11
USKLP-012	2000	6824	277	1	7.2	175	600	Single Pole	27	38,50,11
USKLP-013	3000	7677	277	1	10.8	175	600	Single Pole	29	38,50,11
USKLP-014	4000	13649	277	1	14.4	175	600	Single Pole	29	38,50,11
USKLP-015	4800	16378	277	1	17.3	175	600	Single Pole	29	38,50,11
USKLP-001	750	2560	120	1	6.25	175	600	Double Pole	26	38,50,11
USKLP-002	1000	3413	120	1	8.3	175	600	Double Pole	26	38,50,11
USKLP-003	1500	5120	120	1	12.5	175	600	Double Pole	26	38,50,11
USKLP-004	4000	13649	208	1	19.2	175	600	Double Pole	26	38,50,11
USKLP-005	4800	16378	208	1	23	175	600	Double Pole	26	38,50,11
USKLP-006	1500 / 1125	5120 / 3840	240 / 208	1	6.2 / 5.4	175	600	Double Pole	26	38,50,11
USKLP-007	2000 / 1500	6824 / 5120	240 / 208	1	8.3 / 7.2	175	600	Double Pole	27	38,50,11
USKLP-008	3000 / 2250	10236 / 7677	240 / 208	1	12.5 / 10.8	175	600	Double Pole	29	38,50,11
USKLP-009	4000 / 3000	13649 / 7677	240 / 208	1	16.7 / 14.4	175	600	Double Pole	29	38,50,11
USKLP-010	4800	16378	240	1	20	175	600	Double Pole	29	38,50,11
USKLP-011	1500	5120	277	1	4.1	175	600	Double Pole	26	38,50,11
USKLP-012	2000	6824	277	1	7.2	175	600	Double Pole	27	38,50,11
USKLP-013	3000	7677	277	1	10.8	175	600	Double Pole	29	38,50,11
USKLP-014	4000	13649	277	1	14.4	175	600	Double Pole	29	38,50,11
USKLP-015	4800	16378	277	1	17.3	175	600	Double Pole	29	38,50,11

Item #	Description		
Accessories			
	Description	TYPE	LBS
USSDF-001 a USSDF-030	Additional Rough-in Box	Field Installed	3




3320 Series Commercial Fan Forced Wall Heater with Additional Rough-in Box

Data Sheet

Dimensions (in) 3320 Series Commercial Fan Forced Wall Heater with Additional Rough-in Box


Item #	A	B	C
USKLP-001 a USKLP-009	15	20	4





**3320 Series Commercial Fan
 Forced Wall Heater with
 Additional Rough-in Box**

Data Sheet



ID	Author	Description Error	Description Update	Supervisor Name
V1	Angelica Romero	New Data Sheet	New Data Sheet	Jessica Lorenzo