



3380 Series Commercial Fan Forced Ceiling Heater with Accessories

Data Sheet

General Characteristics 3380 Series Commercial Fan Forced Ceiling Heater with Accessories

The heaters are to be constructed of a heavy gauge steel housing. The finish shall be baked-on powder coat in Ceiling White color. The units shall be available in ratings from 1500 through 4800 Watts with an optional factory installed single pole thermostat. The heaters have a low speed 600-RPM motor, which drives a vane axial blower to deliver a quite 175 CFM's of down flow air. The heating element shall be of the block finned type with large, parallel steel fins for quick heat transfer. Unit shall have as standard, a manual reset capillary type limit control, for added safety. Unit weight 22 pounds. Fan purge circuit (has 2 wire control circuit for use with remote wall thermostat).

Disconnect switch.

White powder coated 18 gauge steel grill.

Manual reset thermal limit.

Steel block fin element.

Vane axial fan blade: 1.5KW - 4.0KW units: 700 RPM motor; 175 CFM 4.8KW units: 900 RPM motor; 200 CFM.

Rough in dimensions: 14 1/8" wide x 19 1/2" high x 4" deep.

Grill dimensions: 16 3/16" wide x 21" high.

Optional factory installed tamper resistant thermostat.

Made in U.S.A.

Includes Accessories.

Product Applications 3380 Series Commercial Fan Forced Ceiling Heater with Accessories

Air Heater for Forced Ceiling.

Warranties 3380 Series Commercial Fan Forced Ceiling Heater with Accessories

Manufacturer's Limited Warranty: 1 Year.



Specific Characteristics 3380 Series Commercial Fan Forced Ceiling Heater with Accessories

Item #	KW	BTU's	Volts	PH	Amps	CFM	Temp Rise (°F)	Accessories				Weight and Dimensions with Packaging (CM)	
												Lbs	W, H, D
USGUA-001	1.5	5120	120	1	12.5	175	27	BOX3310	3380EX33	TB3380	Suffix T	7	36,50,11
USGUA-002	4.0	13600	208	1	19.2	175	72	BOX3310	3380EX33	TB3380	Suffix T	7	36,50,11
USGUA-003	4.8	16382	208	1	23.1	200	76	BOX3310	3380EX33	TB3380	Suffix T	7	36,50,11
USGUA-004	2.0/1.5	6826/5120	240/208	1	8.3/7.2	175	36	BOX3310	3380EX33	TB3380	Suffix T	7	36,50,11
USGUA-005	3.0/2.3	10200/7679	240/208	1	12.5/10.8	175	54	BOX3310	3380EX33	TB3380	Suffix T	7	36,50,11
USGUA-006	4.0/3.0	13600/10200	240/208	1	16.8/14.4	175	72	BOX3310	3380EX33	TB3380	Suffix T	7	36,50,11
USGUA-007	4.8	16382	240	1	20	200	76	BOX3310	3380EX33	TB3380	Suffix T	7	36,50,11
USGUA-008	1.5	5120	277	1	5.4	175	27	BOX3310	3380EX33	TB3380	Suffix T	7	36,50,11
USGUA-009	2.0	6826	277	1	7.2	175	36	BOX3310	3380EX33	TB3380	Suffix T	7	36,50,11



3380 Series Commercial Fan Forced Ceiling Heater with Accessories


Data Sheet

Specific Characteristics 3380 Series Commercial Fan Forced Ceiling Heater with Accessories.

Item #	KW	BTU's	Volts	PH	Amps	CFM	Temp Rise (°F)	Accessories				Weight and Dimensions with Packaging (CM)	
												Lbs	W, H, D
USGUA-010	3.0	10200	277	1	10.8	200	54	BOX3310	3380EX33	TB3380	Suffix T	7	36,50,11
USGUA-011	4.0	13600	277	1	14.4	200	72	BOX3310	3380EX33	TB3380	Suffix T	7	36,50,11
USGUA-012	4.8	16382	277	1	17.3	200	76	BOX3310	3380EX33	TB3380	Suffix T	7	36,50,11
USGUA-013	1680	5734	220	1	7.6	200	30	BOX3310	3380EX33	TB3380	Suffix T	7	36,50,11
USGUA-014	2520	8600	220	1	11.5	200	50	BOX3310	3380EX33	TB3380	Suffix T	7	36,50,11
USGUA-015	4032	13761	220	1	18.3	200	72	BOX3310	3380EX33	TB3380	Suffix T	7	36,50,11

Dimensions (in) 3380 Series Commercial Fan Forced Ceiling Heater with Accessories

Item #	A	B	C
USGUA-001 a USGUA-015	91	127	27





**3380 Series Commercial Fan
 Forced Ceiling Heater with
 Accessories**

Data Sheet

<p>Additional Back Can</p>	<p>Surface Mounting Adapter</p>
	
<p>2X2 T-Bar Mounting Kit</p>	<p>Factory installed single pole. Range-40° F-110° F with Serie 3380</p>
	

ID	Author	Description Error	Description Update	Supervisor Name
V1	Angelica Romero	New Data Sheet	New Data Sheet	Jessica Lorenzo