



**3380 Series Commercial Fan Forced Ceiling Heater with Surface Mounting Adapter**

Data Sheet

**General Characteristics 3380 Series Commercial Fan Forced Ceiling Heater with Surface Mounting Adapter**

The heaters are to be constructed of a heavy gauge steel housing. The finish shall be baked-on powder coat in Ceiling White color. The units shall be available in ratings from 1500 through 4800 Watts with an optional factory installed single pole thermostat. The heaters have a low speed 600-RPM motor, which drives a vane axial blower to deliver a quite 175 CFM's of down flow air. The heating element shall be of the block finned type with large, parallel steel fins for quick heat transfer. Unit shall have as standard, a manual reset capillary type limit control, for added safety. Unit weight 22 pounds. Fan purge circuit (has 2 wire control circuit for use with remote wall thermostat).

Disconnect switch.

White powder coated 18 gauge steel grill.

Manual reset thermal limit.

Steel block fin element.

Vane axial fan blade: 1.5KW - 4.0KW units: 700 RPM motor; 175 CFM 4.8KW units: 900 RPM motor; 200 CFM.

Rough in dimensions: 14 1/8" wide x 19 1/2" high x 4" deep.

Grill dimensions: 16 3/16" wide x 21" high.

Optional factory installed tamper resistant thermostat.

Made in U.S.A.

Includes Surface Mounting Adapter.

**Product Applications 3380 Series Commercial Fan Forced Ceiling Heater with Surface Mounting Adapter**

Air Heater for Forced Ceiling.

**Warranties 3380 Series Commercial Fan Forced Ceiling Heater with Surface Mounting Adapter**

Manufacturer's Limited Warranty: 1 Year.



**Specific Characteristics 3380 Series Commercial Fan Forced Ceiling Heater with Surface Mounting Adapter.**

| Item #           | KW      | BTU's       | Volts   | PH | Amps      | CFM | Temp Rise (°F) | Accessories Surface Mounting Adapter | Weight and Dimensions with Packaging (CM) |          |
|------------------|---------|-------------|---------|----|-----------|-----|----------------|--------------------------------------|---|----------|
|                  |         |             |         |    |           |     |                |                                      | Lbs                                       | W, H, D  |
| <b>USGUK-001</b> | 1.5     | 5120        | 120     | 1  | 12.5      | 175 | 27             | 3380EX33                             | 7   | 36,50,11 |
| <b>USGUK-002</b> | 4.0     | 13600       | 208     | 1  | 19.2      | 175 | 72             | 3380EX33                             | 7   | 36,50,11 |
| <b>USGUK-003</b> | 4.8     | 16382       | 208     | 1  | 23.1      | 200 | 76             | 3380EX33                             | 7   | 36,50,11 |
| <b>USGUK-004</b> | 2.0/1.5 | 6826/5120   | 240/208 | 1  | 8.3/7.2   | 175 | 36             | 3380EX33                             | 7   | 36,50,11 |
| <b>USGUK-005</b> | 3.0/2.3 | 10200/7679  | 240/208 | 1  | 12.5/10.8 | 175 | 54             | 3380EX33                             | 7   | 36,50,11 |
| <b>USGUK-006</b> | 4.0/3.0 | 13600/10200 | 240/208 | 1  | 16.8/14.4 | 175 | 72             | 3380EX33                             | 7   | 36,50,11 |
| <b>USGUK-007</b> | 4.8     | 16382       | 240     | 1  | 20        | 200 | 76             | 3380EX33                             | 7   | 36,50,11 |
| <b>USGUK-008</b> | 1.5     | 5120        | 277     | 1  | 5.4       | 175 | 27             | 3380EX33                             | 7   | 36,50,11 |
| <b>USGUK-009</b> | 2.0     | 6826        | 277     | 1  | 7.2       | 175 | 36             | 3380EX33                             | 7   | 36,50,11 |



**3380 Series Commercial Fan Forced Ceiling Heater with Surface Mounting Adapter**


**Data Sheet**

**Specific Characteristics 3380 Series Commercial Fan Forced Ceiling Heater with Surface Mounting Adapter.**

| Item #           | KW   | BTU's | Volts | PH | Amps | CFM | Temp Rise (°F) | Accessories Additional Back Can | Weight and Dimensions with Packaging (CM) |          |
|------------------|------|-------|-------|----|------|-----|----------------|---------------------------------|---|----------|
|                  |      |       |       |    |      |     |                |                                 | Lbs                                       | W, H, D  |
| <b>USGUK-010</b> | 3.0  | 10200 | 277   | 1  | 10.8 | 200 | 54             | 3380EX33                        | 7   | 36,50,11 |
| <b>USGUK-011</b> | 4.0  | 13600 | 277   | 1  | 14.4 | 200 | 72             | 3380EX33                        | 7   | 36,50,11 |
| <b>USGUK-012</b> | 4.8  | 16382 | 277   | 1  | 17.3 | 200 | 76             | 3380EX33                        | 7   | 36,50,11 |
| <b>USGUK-013</b> | 1680 | 5734  | 220   | 1  | 7.6  | 200 | 30             | 3380EX33                        | 7   | 36,50,11 |
| <b>USGUK-014</b> | 2520 | 8600  | 220   | 1  | 11.5 | 200 | 50             | 3380EX33                        | 7   | 36,50,11 |
| <b>USGUK-015</b> | 4032 | 13761 | 220   | 1  | 18.3 | 200 | 72             | 3380EX33                        | 7   | 36,50,11 |

**Dimensions (in) 3380 Series Commercial Fan Forced Ceiling Heater with Surface Mounting Adapter**

| Item #                       | A  | B   | C  |
|------------------------------|----|-----|----|
| <b>USGUK-001 a USGUK-015</b> | 91 | 127 | 27 |





# 3380 Series Commercial Fan Forced Ceiling Heater with Surface Mounting Adapter

Data Sheet



| ID | Author        | Description Error | Description Update | Supervisor Name |
|----|---------------|-------------------|--------------------|-----------------|
| V1 | Angela Romero | New Data Sheet    | New Data Sheet     | Jessica Lorenzo |