




General Characteristics CVX Series Radiant Cove Ceiling Heater

Cove heaters have a subtly contoured concave surface with a saw-tooth profile. The concave parabolic face plate performs a two-fold function: (1) it focuses the infrared rays and (2) directs the heat downward along cold perimeters and toward the center of the room. The sawtooth surface design increases the radiating surface area by 45%, thereby increasing the comfort level of the room faster and ensuring more rapid recovery from heat losses.

Furnish and install electric cove heaters where specified. The heaters shall be constructed of .096" thick Aluminum. The heater surface shall be concave in contour and saw-tooth in profile. The finish shall be of powder coat white finish. The heaters shall be available in ratings from 450 through 1250 Watts, at 120, 240, 208 and 277 Volts. The heating element shall be of Nichrome wire, embedded in Magnesium Oxide powder, enclosed and sealed in Aluminum metal tubing. The heater shall be listed by ETL and the elements shall be supplied with a one year limited warranty. Made in U.S.A.



Product Applications CVX Series Radiant Cove Ceiling Heater

Air Heater for Forced Ceiling.

Warranties CVX Series Radiant Cove Ceiling Heater

Manufacturer's Limited Warranty: 1 Year.

Specific Characteristics CVX Series Radiant Cove Ceiling Heater

Item #	KW	BTU's	Volts	Amps	Length	Weight and Dimensions with Packaging (CM)	
						Lbs	W, H, D
USUKW-001	450	1536	120	3.8	42	7	111,25,22
USUKW-002	450	1536	240	1.9	42	7	111,25,22
USUKW-003	450	1536	208	2.2	42	7	111,25,22
USUKW-004	450	1536	277	1.6	42	7	111,25,22




Specific Characteristics CVX Series Radiant Cove Ceiling Heater

Item #	KW	BTU's	Volts	Amps	Length	Weight and Dimensions with Packaging (CM)	
						Lbs	W, H, D
USUKW-005	600	2048	120	5.0	60	10	111,25,22
USUKW-006	600	2048	240	2.5	60	10	111,25,22
USUKW-007	600	2048	208	2.9	60	10	111,25,22
USUKW-008	600	2048	277	2.2	60	10	111,25,22
USUKW-009	750	2560	120	6.3	72	13	111,25,22
USUKW-010	750	2560	240	3.1	72	13	111,25,22
USUKW-011	750	2560	208	3.6	72	13	111,25,22
USUKW-012	750	2560	277	2.7	72	13	111,25,22
USUKW-013	900	3072	120	7.5	84	14	111,25,22
USUKW-014	900	3072	240	3.8	84	14	111,25,22
USUKW-015	900	3072	208	4.3	84	14	111,25,22
USUKW-016	900	3072	277	3.2	84	14	111,25,22
USUKW-017	1000	3413	120	8.3	96	17	111,25,22
USUKW-018	1000	3413	240	4.2	96	17	111,25,22
USUKW-019	1000	3413	208	4.8	96	17	111,25,22
USUKW-020	1000	3413	277	3.6	96	17	111,25,22
USUKW-021	1100	3754	120	9.2	108	19	111,25,22
USUKW-022	1100	3754	240	4.6	108	19	111,25,22
USUKW-023	1100	3754	208	5.3	108	19	111,25,22
USUKW-024	1100	3754	277	4.0	108	19	111,25,22
USUKW-025	1250	4266	120	10.4	120	21	111,25,22
USUKW-026	1250	4266	240	5.2	120	21	111,25,22
USUKW-027	1250	4266	208	6.0	120	21	111,25,22
USUKW-028	1250	4266	277	4.5	120	21	111,25,22



Dimensions (in) CVX Series Radiant Cove Ceiling Heater			
Item #	A	B	C
USUKW-001 a USUKW-028	44	10	9



ID	Author	Description Error	Description Update	Supervisor Name
V1	Angelica Romero	New Data Sheet	New Data Sheet	Jessica Lorenzo