VentDepot.



Ecological HVAC Supply & Engineering 1-888-514-1516, (626) 771-0048, F: (626) 771-0047 sales@ventdepot.com www.VentDepot.com

General Characteristics of the Roof Louver, PopVentFit.

The Roof Louver PopVentFit provides optimal attic ventilation. It removes hot air in the summer and moisture in the winter from the attic.

This roof louver will fit over an existing base of the same diameter.

Pop Vents are static vents that continually exhaust air while preventing rain and snow from entering.

The vertical louvers also keep out insects and animals while allowing for dynamic air flow.

A much more efficient design compared to a wind turbine vent, the PopVentFit will not allow rain and snow to get inside the roof.

The vents are designed so that they can make for a quick and easy installation.

Product Applications of the Roof Louver, PopVentFit.

It adapts to residential and comercial buildings, as well as roofs with flat or steep slopes. A profesional can install a Gravity Ventilator in any climate zone and on all types of roofs.

Rafer to the Climate Zone Chart to determine the appropriate collar height for installation in your área. Homeowners and professionals can install these vents on both new roofs and to replace old roof turbines.

Refer to the installation instructions provided by AVP to ensure proper installation and maximize the vent's effectiveness. Roof vents require no maintenance.

Warranty of the Roof Louver, PopVentFit.

Manufacturer's Warranty: 1-Year







Specific Characteristics of the Roof Louver, PopVentFit.								
ltem #	Manufacturing #	Diameter	Net Free Vent Area		Application per Sq.Foot		Weight and Dimensions with Packaging	
			(sq. inches)	(sq. feet)	(1/150)	(1/300)	Lbs.	W,H,D In
USPVE-001	PV-12-RF	12"	113	0.78	235	470	4	18,8,18
USPVE-002	PV-14-RF	14"	144	1.00	300	600	5.5	20,8,20
USPVE-003	PV-16-RF	16"	200	1.39	416	833	9	24,12,24
USPVE-004	PV-18-RF	18"	256	1.76	529	1058	12	26,12,26
USPVE-005	PV-20-RF	20"	314	2.18	654	1303	15	30,13,30
USPVE-006	PV-24-RF	24"	452	3.14	941	1883	18	36,14,36


VentDepot

Ecological HVAC Supply & Engineering 1-888-514-1516, (626) 771-0048, F: (626) 771-0047 sales@ventdepot.com www.VentDepot.com



PopVentFit

Dimensions (In.) of the Roof Louver, PopVentFit.									
Series				3 (Outside Louvers) C (Inside Louvers)		e Louvers)	D	Е	F
			High	Opening	High	Opening			
USPVE-001	PV-12-RF	12 1⁄8"	1"	1/8"	3 ¼"	1⁄8"	16"	6"	1"
USPVE-002	PV-14-RF	14 ½"	1"	1/8"	3 ¼"	1/8"	18"	6"	1"
USPVE-003	PV-16-RF	16 ½"	1"	1/8"	5 ¼"	1/8"	22"	10"	2"
USPVE-004	PV-18-RF	18 ½"	1"	1/8"	5 ¼"	1/8"	24"	10"	2"
USPVE-005	PV-20-RF	20 1/8"	1"	1/8"	6 1/2"	1/8"	28"	11"	2"
USPVE-006	PV-24-RF	24 1/8"	1"	1/8"	7 1/2"	1/8"	34"	12"	2"





Ecological HVAC Supply & Engineering 1-888-514-1516, (626) 771-0048, F: (626) 771-0047 sales@ventdepot.com www.VentDepot.com





Gallery Image of the Roof Louver, PopVentFit.





Ecological HVAC Supply & Engineering 1-888-514-1516, (626) 771-0048, F: (626) 771-0047 sales@ventdepot.com www.VentDepot.com







ID	Author	Description Error	Description Update	Supervisor Name
V1	Marcela Roldán	Technical Sheet Nueva	Technical Sheet Nueva	J.L.