



General Characteristics of the Bathroom Soffit Vent, SoftVent.

AVP's bathroom soffit vent comes in a 3-inch or 4-inch diameter. It easily attaches to flex or rigid ducts in order to exhaust air from the bathroom fan. The adapter of the soffit vent is beaded which creates a non-slip surface for the duct to fit onto.

The Bathroom Soffit Vent will help to eliminate backpressure so that the bathroom fan can exhaust out hot humid air from the shower as well as unwanted odors from the bathroom.

After being placed under the eaves, the bathroom soffit vent is connected to the bathroom fan through ductwork. The all-aluminum construction of the soffit vent prevents rust and corrosion. Powder-coated white to match most under eave areas. In addition, the powder coat paint will keep the vent looking new for many years.


The soffit vent louver design like other roof vents from AVP will prevent rain, snow, insects, and animals from entering inside and will still ventilate more efficiently than insect screen.

Product Applications of the Bathroom Soffit Vent, SoftVent.

Designed to facilitate proper ventilation in the attic or ceiling space of a structure, these vents are installed in the soffit, which is the underside of the eave extending from the exterior wall to the edge of the roof. Their use can be for commercial or residential purposes. Their primary function is to provide a fresh air intake to the attic or ceiling space, thereby helping to maintain a cooler environment and control humidity. By being installed in the soffit, these vents allow air from the outside to enter while maintaining an aesthetically pleasing appearance on the underside of the eave. Their application is crucial for maintaining the structural health of the building and improving energy efficiency.

Warranty of the Bathroom Soffit Vent, SoftVent.

Manufacturer's Warranty: 1-Year



**Active
Ventilation
Products**



Specific Characteristics of the Bathroom Soffit Vent, SoftVent.

Item #	Manufacturing #	Diameter	Color	Weight and Dimensions with Packaging	
				Lbs.	W,H,D In
USBSV-001	BSV-3-WT	3"	White	0.11	6,4,6
USBSV-002	BSV-4-WT	4"	White	0.11	7,4,7




Specific Characteristics of the Bathroom Soffit Vent, SoftVent.

Series		A	B	C	D
USBSV-001	BSV-3-WT	4"	3.5"	3.3"	2.2"
USBSV-002	BSV-4-WT	5"	4.6"	4.3"	2.2"



Gallery Images of the Bathroom Soffit Vent, SoftVent.






SoftVent

Data Sheet




**Flexible Duct
Not Included**



SoftVent

Data Sheet



Flexible Duct Not Included



ID	Author	Description Error	Description Update	Supervisor Name
V1	Marcela Roldán	Technical Sheet Nueva	Technical Sheet Nueva	J.L.